

Safety Data Sheet

SUPER SLICK[®]

SDS (formerly MSDS)

Conforms to HCS 2012 - United States

Date: 08/22/2023









Section 1: Chemical Product and Company Identification

Manufactured by:	Dutch Direct Technologies	Product name:	Super Slick
Information contact:		Revision:	8-22-23

Section 2: Composition- Information on Ingredients

INGREDIENT NAME	CAS Number	PERCENT
L-ascorbic acid	50-81-7	1-3%
Sulphated Castor Oil	68187-76-8	40-60%
Triethanolamine	102-71-6	4-7%
Oil of Coriander	8008-52-4	3-6%

Section 3: Hazard Identification

HEALTH - 1	Potential acute health effects:	Potential chronic health effects:
FLAMMABILITY - 0	The product and its components	
PHYSICAL HAZARD -0	represent no known hazard to health or environment.	None
REACTIVITY - 1	5. C	

Section 4: First AID Measures

Emergency and First Aid Procedures:				
Primary Routes of Exposure:	Inhalation	Eye Contact	Skin Contact	Ingestion
Effects of Over-exposure:				
Skin:	Prolonged exposure may cause a skin sensitization in susceptible individuals. Low order of toxicity.			
Eyes:	Immediately flush eyes with water. Get medical attention if irritation persists.			
Ingestion:	Ingestion should be avoided. Get medical attention if ill effects or discomfort persists.			
Inhalation:	Remove affected person from area of exposure.			

2 Safety Data Sheet





Section 5: Fire Fighting Measures

Flash point (°F):	Over 510°F Fahrenheit, ess	Over 510°F Fahrenheit, essential oils		
Information contact:	Lower: Not established	Lower: Not established Upper: Not established		
Auto-ignition Temperature:	Not Established, Aqueous s	solution, ≥ 250 F		
Extinguishing Media for fires:	* *	Carbon dioxide, dry powder, foam, water fog or mist. Water may be ineffective on flames, but should be used to keep fire exposed containers cool.		
Special Fire Fighting Procedures:	· ·	Product will not burn or produce unusual chemical hazards upon exposure to heat, water or extinguishing media.		
	CHealth:	1		
HMIS Rating:	Flammability:	0		
	Reactivity:	1		
*HMIS: Minimal= 0, Slight=1, Moderate=2, Serius= 3, Severe= 4				
	A = Safety glasses	A = Safety glasses		
	B = Safety glasses, gloves	B = Safety glasses, gloves		

C = Safety glasses, gloves, chemical apron

D = Face shield, gloves, chemical apron

E = Safety glasses, gloves, dust respirator

Personal Protective Equipment:

Fire fighters need self-contained respiratory equipment for fires in enclosed





Section 6: Accidental Release Measures

PROCEDURE:

Contain, collect and reuse, if possible. This product is not considered a hazardous product, and is therefore not considered a hazardous waste. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

PERSONAL PROTECTION:

Respiratory Protection:	Approved NIOSH/MSHA (nuisance dust) respirator may be necessary under certain conditions where airborne contaminants may exceed exposure limits.
Eye Protection:	Wear goggles or safety glasses with side shields at all times.
Other Protective Equipment:	Impervious gloves, long sleeve pants and shirts, and protective head-wear should be worn to minimize exposure.





Section 7: Handling and Storage

Storage Conditions:	The maximum recommended storage temperature for this product is 160°F. Store in a well ventilated area.
Handling Procedures:	Avoid ignition sources such as sparks and flame. No special precautionary health measures should be needed under anticipated conditions of storage or use. As a water based product, general incompatibility with hydrocarbon oils are expected. However, no reaction (hazardous or otherwise) is expected on contact with other materials.

Section 8: Exposure Controls/Personal Protection

Respiratory Information: A respiratory protection program meeting OSHA 29 CFR & 1910-134 and ANSI Z88. Two requirements must be followed whenever work place conditions warrant a respirator's use. Eye Protection: Use Chemical splash goggles and face shield (ANSI Z87.1 or approved equivalent). Eye protection worn must be compatible with respiratory protection system employed. Hand Protection: NOTE: Material may be a skin sensitizer in susceptible individuals. The gloves listed below may provide protection against permeation. Gloves of other chemically resistant materials may not provide adequate protection: Eye Protection: Use Chemical splash goggles and face shield (ANSI Z87.1 or approved equivalent). Eye protection worn must be compatible with respiratory protection system employed. Hand Protection: NOTE: Material may be a skin sensitizer in susceptible individuals. The gloves listed below may provide protection against permeation. Gloves of other chemically resistant materials may not provide adequate protection:	Exposure Limit Information:	The use of local exhaust ventilation is recommended to control process emissions near source. Provide mechanical ventilation of confined spaces
Protection worn must be compatible with respiratory protection system employed. NOTE: Material may be a skin sensitizer in susceptible individuals. The gloves listed below may provide protection against permeation. Gloves of other chemically resistant materials may not provide adequate protection: Eye Protection: Use Chemical splash goggles and face shield (ANSI Z87.1 or approved equivalent). Eye protection worn must be compatible with respiratory protection system employed. NOTE: Material may be a skin sensitizer in susceptible individuals. The gloves listed below may provide protection against permeation. Gloves of other chemically resistant materials may not provide adequate protection: Butyl Rubber Nitrile Gloves should be removed and replaced immediately if there is any indication of degradation or chemical breakthrough. Rinse and remove gloves after use. Wash hands with soap and water. Other Protection: Use a chemically resistant apron or other impervious clothing to avoid prolonged or repeated skin contact. Engineering Controls (Ventilation): Use local exhaust ventilation with a minimum capture velocity of 150 ft. /min. (0.75 m/sec.) at the point of dust or mist evolution. Refer to the current edition of Industrial Ventilation: A Manual of Recommended Practice, published by the American Conference of Government Industrial Hygienists for information on the design, installation, use, and maintenance of exhaust systems. Other Protective Equipment: Facilities storing or utilizing this product should be equipped with an eyewash facility and	Respiratory Information:	
may provide protection against permeation. Gloves of other chemically resistant materials may not provide adequate protection: Eye Protection: Use Chemical splash goggles and face shield (ANSI Z87.1 or approved equivalent). Eye protection worn must be compatible with respiratory protection system employed. Hand Protection: NOTE: Material may be a skin sensitizer in susceptible individuals. The gloves listed below may provide protection against permeation. Gloves of other chemically resistant materials may not provide adequate protection: Butyl Rubber Nitrile Gloves should be removed and replaced immediately if there is any indication of degradation or chemical breakthrough. Rinse and remove gloves after use. Wash hands with soap and water. Other Protection: Use a chemically resistant apron or other impervious clothing to avoid prolonged or repeated skin contact. Engineering Controls (Ventilation): Use local exhaust ventilation with a minimum capture velocity of 150 ft. /min. (0.75 m/sec.) at the point of dust or mist evolution. Refer to the current edition of Industrial Ventilation: A Manual of Recommended Practice, published by the American Conference of Government Industrial Hygienists for information on the design, installation, use, and maintenance of exhaust systems. Other Protective Equipment: Facilities storing or utilizing this product should be equipped with an eyewash facility and	Eye Protection:	
Hand Protection: NOTE: Material may be a skin sensitizer in susceptible individuals. The gloves listed below may provide protection against permeation. Gloves of other chemically resistant materials may not provide adequate protection: Butyl Rubber Nitrile Gloves should be removed and replaced immediately if there is any indication of degradation or chemical breakthrough. Rinse and remove gloves after use. Wash hands with soap and water. Other Protection: Use a chemically resistant apron or other impervious clothing to avoid prolonged or repeated skin contact. Use local exhaust ventilation with a minimum capture velocity of 150 ft. /min. (0.75 m/sec.) at the point of dust or mist evolution. Refer to the current edition of Industrial Ventilation: A Manual of Recommended Practice, published by the American Conference of Government Industrial Hygienists for information on the design, installation, use, and maintenance of exhaust systems. Other Protective Equipment: Facilities storing or utilizing this product should be equipped with an eyewash facility and	Hand Protection:	may provide protection against permeation. Gloves of other chemically resistant materials
may provide protection against permeation. Gloves of other chemically resistant materials may not provide adequate protection: Butyl Rubber Nitrile Gloves should be removed and replaced immediately if there is any indication of degradation or chemical breakthrough. Rinse and remove gloves after use. Wash hands with soap and water. Use a chemically resistant apron or other impervious clothing to avoid prolonged or repeated skin contact. Engineering Controls (Ventilation): Use local exhaust ventilation with a minimum capture velocity of 150 ft. /min. (0.75 m/sec.) at the point of dust or mist evolution. Refer to the current edition of Industrial Ventilation: A Manual of Recommended Practice, published by the American Conference of Government Industrial Hygienists for information on the design, installation, use, and maintenance of exhaust systems. Other Protective Equipment: Facilities storing or utilizing this product should be equipped with an eyewash facility and	Eye Protection:	
skin contact. Engineering Controls (Ventilation): Use local exhaust ventilation with a minimum capture velocity of 150 ft. /min. (0.75 m/sec.) at the point of dust or mist evolution. Refer to the current edition of Industrial Ventilation: A Manual of Recommended Practice, published by the American Conference of Government Industrial Hygienists for information on the design, installation, use, and maintenance of exhaust systems. Other Protective Equipment: Facilities storing or utilizing this product should be equipped with an eyewash facility and	Hand Protection:	may provide protection against permeation. Gloves of other chemically resistant materials may not provide adequate protection: • Butyl Rubber • Nitrile Gloves should be removed and replaced immediately if there is any indication of degradation or chemical breakthrough. Rinse and remove gloves after use. Wash hands with soap and
(Ventilation): at the point of dust or mist evolution. Refer to the current edition of Industrial Ventilation: A Manual of Recommended Practice, published by the American Conference of Government Industrial Hygienists for information on the design, installation, use, and maintenance of exhaust systems. Other Protective Equipment: Facilities storing or utilizing this product should be equipped with an eyewash facility and	Other Protection:	
	•	at the point of dust or mist evolution. Refer to the current edition of Industrial Ventilation: A Manual of Recommended Practice, published by the American Conference of Government Industrial Hygienists for information on the design, installation, use, and maintenance of
	Other Protective Equipment:	

The product and its components represent no known hazard to health or environment. The oral LD $50 \ge 5,000$ mg/ Kg for the essential oil components of this product.

_ Safety Data Sheet





Section 9: Physical and Chemical Properties

Physical State:		Water like		Water Solubility		miscible	
Appearance/Od	or:	Amber -cream		Melting Point:		N/A, liquid	
Evaporation Ra	te:	Equal to water		Boiling Point:		N/A	
Specific Gravity	<i>y</i> :	894 @ 77°F		Boiling Point	>200°F	Melt Point	<32 F
Critical Temp:	N/A	Volatility:	as Water	Odor:	Mild aromatic	Dispersion:	Aqueous
Vapor Density:		Water					

Section 10: Stability and Reactivity

Stability:	This product is considered stable. Hazardous polymerization will not occur.
Conditions to Avoid	Extreme temperatures and open flames.
Materials to Avoid:	Avoid mixing with strong oxidants.
Hazardous Decomposition Products:	None Known
Hazardous Polymerization Products:	None Known

Section 11: Toxicological Information

Routes of Entry:	Eye contact. Inhalation. Ingestion.		
Toxicity to Animals:	Acute oral toxicity (LD50): 5000 mg/kg [Rat].		
Chronic Effects on Humans:	Not available.		
Other Toxic Effects on Humans:	Possible irritant on skin contact, ingestion, or inhalation.		
Special Remarks on Toxicity to Animals:	None Known		
Special Remarks on Chronic Effects on Humans:	None Known		
Special Remarks on other Toxic Effects on Humans: None Known			
Also refer to section three for information on potential	Also refer to section three for information on potential health effects.		

Safety Data Sheet ______5





Section 12: Ecological Information

Ecotoxicity:	None Known	
BOD5 and COD:	Not available	
Products of Biodegradation:	Short term degradation products are not likely.	
Toxicity of the Products of Biodegradation:	The products of degradation are not known to be toxic.	
Special Remarks on the Products of Biodegradation:	None available.	
No specific ecological data are available for this product.		

Section 13: Disposal Considerations

Dispose of this product in compliance with all applicable federal, state, and local regulations. Please refer to sections 5 and 6 for disposal and regulatory information.

Section 14: Transport Information

Section 15: Regulatory Information


Chemical Inventory Lists	All products are listed on TSCA and DSL
SARA (311/312) Reportable Hazardous Categories	NONE
Federal and State Regulations:	TSCA 8(b) inventory: Rosemary oil
Other Regulations:	None available.
Other Classifications:	WHMIS (Canada): Not controlled under WHMIS (Canada). DSCL (EEC): R36/38- Irritating to eyes and skin. HMIS (U.S.A.): p.5 Health Hazard: 0 Fire Hazard: 0 Reactivity: 0
Personal Protection:	National Fire Protection Association (NFPA): Health: 0 Flammability: 0 Reactivity: 0 Specific hazard: N/A
Protective Equipment:	Gloves. Lab coat. Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Splash goggles.

Section 16: Other Information

The data presented here relates only to the product in use as designated and in relation to other materials.								
References:	N/A	Other Special Considerations:	N/A	Created:	8/23/23			

6 Safety Data Sheet







18 North 57th Drive Ste #1 Phoenix Az 85043







